

NM_POINT	CD_TPANA	NM_COMP	CD_UNIT	DS_POINT	DT_MEASURE	DC_LSVAL	VC_INFO	CN_STVAL
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	4-1-2016	0,05	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	5-1-2016	0,391	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	5-1-2016	-0,001	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	6-1-2016	0,441	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	1-2-2016	0	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	2-2-2016	-0,004	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	3-2-2016	0,35	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	16-2-2016	0,65	0.6	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	29-2-2016	-0,027	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	1-3-2016	0,474	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	1-3-2016	-0,031	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	2-3-2016	0,561	0.6	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	29-3-2016	0,507	0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	29-3-2016	0,006	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	29-3-2016	0,023	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	30-3-2016	0,488	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	25-4-2016	0,052	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	26-4-2016	0,257	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	26-4-2016	0,048	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	6-5-2016	0,802	0.8	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	23-5-2016	-0,03	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	24-5-2016	0,28	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	24-5-2016	-0,03	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	25-5-2016	0,82	0.8	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	20-6-2016	0,065	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	21-6-2016	0,562	0.6	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	21-6-2016	0,053	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	22-6-2016	0,69	0.7	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	18-7-2016	0,007	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	19-7-2016	11,58	11.6	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	19-7-2016	0,005	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	20-7-2016	0,611	0.6	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	2-8-2016	1,462	1.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	2-8-2016	0,241	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	15-8-2016	0,18	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	16-8-2016	0,4	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	16-8-2016	0,1	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	17-8-2016	0,86	0.9	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	12-9-2016	-0,002	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	13-9-2016	2,358	2.4	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	13-9-2016	-0,014	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	14-9-2016	0,75	0.8	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	10-10-2016	0,05	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	11-10-2016	8,397	8.4	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	11-10-2016	0,025	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	12-10-2016	0,461	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	7-11-2016	0,015	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	8-11-2016	2,096	2.1	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	8-11-2016	0,03	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	9-11-2016	0,447	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	5-12-2016	0,028	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	6-12-2016	0,026	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	7-12-2016	0,827	0.8	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	7-12-2016	1,08	1.1	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	2-1-2017	0,01	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	3-1-2017	0,26	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	3-1-2017	-0,01	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	4-1-2017	0,53	0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	30-1-2017	0,015	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	31-1-2017	0,8	0.8	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	31-1-2017	0,01	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	1-2-2017	0,48	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	27-2-2017	0,023	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	28-2-2017	0,677	0.7	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	28-2-2017	0,003	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	1-3-2017	0,832	0.8	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	15-3-2017	0,18	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	15-3-2017	0,06	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	15-3-2017	0,253	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	15-3-2017	0,269	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	15-3-2017	0,054	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	15-3-2017	0,458	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	27-3-2017	0,044	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	28-3-2017	0,006	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	12-4-2017	0,207	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	12-4-2017	0,145	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	12-4-2017	0,295	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	12-4-2017	0,208	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	24-4-2017	0,213	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	25-4-2017	0	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	26-4-2017	0,502	0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	10-5-2017	0,145	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	10-5-2017	0,406	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	10-5-2017	0,193	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	10-5-2017	0,159	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	22-5-2017	0,051	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	29-5-2017	0,097	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	14-6-2017	0,409	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	14-6-2017	0,438	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	14-6-2017	1,127	1.1	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	14-6-2017	0,612	0.6	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	14-6-2017	0,365	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	14-6-2017	1,339	1.3	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	19-6-2017	0,001	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	20-6-2017	-0,04	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	12-7-2017	0,429	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	12-7-2017	14,51	14.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	12-7-2017	0,147	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	12-7-2017	0,504	0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	12-7-2017	13,5	13.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam	12-7-2017	0,906	0.9	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	17-7-2017	0,043	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	18-7-2017	0,007	<0.5	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	20-7-2017	0,106	<0.5	1
DAM-DN-121	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	10-8-2017	-0,04	<0.5	1
PLD-RW-001	PB-OPG	load	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	14-8-2017	0,014	<0.5	1
DAM-DN-118	PB-OPG	load	µg/l Pb	Distributiegebied Amsterdam Postagentschap	15-8-2017	0,775	0.8	1
PWK-PO-001	PB-OPG	load	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	15-8-2017	-0,012	<0.5	1

DAM-DN-N-2017-06	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	16-8-2017	0,7	0,7	1
DAM-DN-N-2017-22	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	16-8-2017	0,354	<0,5	1
DAM-DN-V-2017-06	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	16-8-2017	2,242	2,2	1
DAM-DN-V-2017-22	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	16-8-2017	0,639	0,6	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	11-9-2017	0,038	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	12-9-2017	0,067	<0,5	1
DAM-DN-N-2017-07	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	13-9-2017	0,633	0,6	1
DAM-DN-N-2017-14	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	13-9-2017	0,611	0,6	1
DAM-DN-N-2017-23	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	13-9-2017	0,697	0,7	1
DAM-DN-V-2017-07	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	13-9-2017	1,846	1,8	1
DAM-DN-V-2017-14	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	13-9-2017	0,786	0,8	1
DAM-DN-V-2017-23	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	13-9-2017	0,617	0,6	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	9-10-2017	0,11	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	10-10-2017	0,074	<0,5	1
DAM-DN-N-2017-08	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	11-10-2017	0,297	<0,5	1
DAM-DN-N-2017-15	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	11-10-2017	0,62	0,6	1
DAM-DN-V-2017-08	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	11-10-2017	0,316	<0,5	1
DAM-DN-V-2017-15	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	11-10-2017	0,317	<0,5	1
DAM-DN-121	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	12-10-2017	0,258	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	6-11-2017	0,019	<0,5	1
DAM-DN-118	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam Postagentschap	7-11-2017	0,477	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	7-11-2017	0,023	<0,5	1
DAM-DN-N-2017-16	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	15-11-2017	0,062	<0,5	1
DAM-DN-V-2017-16	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	15-11-2017	0,158	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	4-12-2017	0,014	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	5-12-2017	0,017	<0,5	1
DAM-DN-N-2017-17	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	13-12-2017	0,092	<0,5	1
DAM-DN-N-2017-18	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	13-12-2017	0,212	<0,5	1
DAM-DN-V-2017-17	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	13-12-2017	0,619	0,6	1
DAM-DN-V-2017-18	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	13-12-2017	0,55	0,6	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	2-1-2018	0,09	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	2-1-2018	0,09	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	29-1-2018	0,015	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	30-1-2018	0,027	<0,5	1
DAM-DN-121	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	31-1-2018	0,426	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	26-2-2018	0,11	<0,5	1
DAM-DN-118	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam Postagentschap	27-2-2018	1,057	1,1	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	27-2-2018	0,011	<0,5	1
DAM-DN-N-2018-01	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	21-3-2018	0,296	<0,5	1
DAM-DN-V-2018-01	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	21-3-2018	0,317	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	26-3-2018	0,018	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	27-3-2018	0,02	<0,5	1
DAM-DN-N-2018-02	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	4-4-2018	0,19	<0,5	1
DAM-DN-V-2018-02	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	4-4-2018	0,213	<0,5	1
DAM-DN-N-2018-03	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	18-4-2018	0,137	<0,5	1
DAM-DN-V-2018-03	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	18-4-2018	0,356	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	23-4-2018	0,061	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	24-4-2018	0,07	<0,5	1
DAM-DN-121	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	1-5-2018	0,164	<0,5	1
DAM-DN-N-2018-04	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	2-5-2018	9,096	9,1	1
DAM-DN-V-2018-04	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	2-5-2018	18,4	18,4	1
DAM-DN-N-2018-05	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	16-5-2018	1,008	1,0	1
DAM-DN-N-2018-21	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	16-5-2018	3,188	3,2	1
DAM-DN-V-2018-05	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	16-5-2018	0,881	0,9	1
DAM-DN-V-2018-21	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	18-5-2018	0,79	0,8	1
DAM-DN-118	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam Postagentschap	22-5-2018	0,73	0,7	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	22-5-2018	0,07	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	22-5-2018	0,07	<0,5	1
DAM-DN-N-2018-06	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	30-5-2018	0,3	<0,5	1
DAM-DN-V-2018-06	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	30-5-2018	1,24	1,2	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	18-6-2018	0,048	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	19-6-2018	0,009	<0,5	1
DAM-DN-N-2018-07	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	20-6-2018	0,178	<0,5	1
DAM-DN-V-2018-07	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	20-6-2018	0,463	<0,5	1
DAM-DN-N-2018-08	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	27-6-2018	0,08	<0,5	1
DAM-DN-V-2018-08	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	27-6-2018	0,56	0,6	1
DAM-DN-N-2018-09	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	11-7-2018	0,165	<0,5	1
DAM-DN-V-2018-09	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	11-7-2018	0,261	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	16-7-2018	0,001	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	17-7-2018	0	<0,5	1
DAM-DN-121	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	18-7-2018	0,33	<0,5	1
DAM-DN-N-2018-10	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	25-7-2018	0,15	<0,5	1
DAM-DN-V-2018-10	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	25-7-2018	0,425	<0,5	1
DAM-DN-N-2018-11	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	8-8-2018	0,453	<0,5	1
DAM-DN-V-2018-11	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	8-8-2018	0,643	0,6	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	13-8-2018	-0,008	<0,5	1
DAM-DN-118	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam Postagentschap	14-8-2018	1,078	1,1	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	14-8-2018	-0,005	<0,5	1
DAM-DN-N-2018-12	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	22-8-2018	0,11	<0,5	1
DAM-DN-N-2018-22	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	22-8-2018	0,32	<0,5	1
DAM-DN-V-2018-12	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	22-8-2018	0,1	<0,5	1
DAM-DN-V-2018-22	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	22-8-2018	0,37	<0,5	1
DAM-DN-N-2018-13	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	5-9-2018	0,191	<0,5	1
DAM-DN-V-2018-13	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	5-9-2018	0,184	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	10-9-2018	0,047	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	11-9-2018	0,02	<0,5	1
DAM-DN-N-2018-14	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	19-9-2018	0,15	<0,5	1
DAM-DN-V-2018-14	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	19-9-2018	4,96	5,0	1
DAM-DN-N-2018-15	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	3-10-2018	0,81	0,8	1
DAM-DN-V-2018-15	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	3-10-2018	0,175	<0,5	1
DAM-DN-121	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam U.V.A. heimansinstituut gebouw 4	8-10-2018	0,042	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	8-10-2018	0,032	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	9-10-2018	-0,003	<0,5	1
DAM-DN-N-2018-16	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	17-10-2018	1,53	1,5	1
DAM-DN-V-2018-16	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	17-10-2018	0,621	0,6	1
DAM-DN-N-2018-17	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	31-10-2018	0,086	<0,5	1
DAM-DN-V-2018-17	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	31-10-2018	0,095	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	5-11-2018	0,024	<0,5	1
DAM-DN-118	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam Postagentschap	6-11-2018	0,493	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	6-11-2018	0,031	<0,5	1
DAM-DN-N-2018-18	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	14-11-2018	0,157	<0,5	1
DAM-DN-N-2018-23	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	14-11-2018	0,175	<0,5	1
DAM-DN-V-2018-18	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	14-11-2018	0,151	<0,5	1
DAM-DN-V-2018-23	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	14-11-2018	0,341	<0,5	1
DAM-DN-N-2018-19	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	29-11-2018	0,133	<0,5	1
DAM-DN-V-2018-19	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	29-11-2018	0,091	<0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	3-12-2018	0,039	<0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	4-12-2018	0,057	<0,5	1
DAM-DN-N-2018-20	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	12-12-2018	0,242	<0,5	1

DAM-DN-V-2018-20	PB-OPG	lood	µg/l Pb	Distributiegebied Amsterdam	12-12-2018	0,353 <0,5	1
PLD-RW-001	PB-OPG	lood	µg/l Pb	Pompstation Leiduin 1 Rein: Transportleidingen Gw	7-1-2019	0,03 <0,5	1
PWK-PO-001	PB-OPG	lood	µg/l Pb	Pompstation Weesperkarspel Drinkwaterpompen (rein)	8-1-2019	0,01 <0,5	1