




| | | | |
|--------|--------------|------|---------|
| PUT 4 | VERVALLEN | | |
| PUT 1 | VERVALLEN | BRON | |
| PUT 2 | VERVALLEN | BRON | |
| PUT 3 | VERVALLEN | BRON | |
| PUT 4 | VERVALLEN | BRON | |
| BRON 1 | BEDRUFSWATER | 1956 | 60 M3/H |
| PUT 6 | VERVALLEN | BRON | |
| PUT 7 | VERVALLEN | BRON | |
| PUT 8 | VERVALLEN | BRON | |
| PUT 9 | VERVALLEN | BRON | |
| PUT 10 | VERVALLEN | BRON | |
| PUT 11 | VERVALLEN | BRON | |
| PUT 12 | VERVALLEN | BRON | |
| BRON 2 | BEDRUFSWATER | 1980 | 60 M3/H |
| BRON 3 | BEDRUFSWATER | 1989 | 60 M3/H |
| BRON 4 | BEDRUFSWATER | ---- | 60 M3/H |



DETAIL A



DETAIL E

DETAIL C

| Wkt. | Datum | Geol. | Geol. | Outcrop/ing |
|------|----------|-------|-------|---------------------|
| B | 24-08-14 | SSF | USH | bedding/comp update |
| A | 16-06-06 | RCGE | AMR | |
| 0 | 16-03-05 | Kce | AMR | |
| | | | | |
| | | | | |

| | | | | | | | | | | | | | | | |
|-----------|---|--------|---------|----|--------|-----|----------|--|--|--|--|------------|-----|---------------|--------------|
| Orderwerp | This print is PROPERTY OF MESTRE LTD MAY NOT BE USED OR REPRODUCED WITHOUT WRITTEN AUTHORITY | Foto's | 1 : 500 | A1 | Gel. | Kto | 16-03-05 | | | | | FDA | NIE | Leidingsplan | Werkuitgaven |
| | 0346 NUNSPREET | | | | Contr. | | | | | | | Discipline | | | |
| | | | | | | | | | | | | Soort | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | Project m.n.: | |

Overzicht Bronwaterleidingen

Isometrisch in 3D

FLOC Structure
0346-UTI-WAT-BRW

0346-UTI-WAT-BRW

Nestle Nutrition
4-1251-75-20-1000-152

Nutritio

Nutritio

© Nestlé